

Thanks for the feedback! [Undo](#)  
We'll use your feedback to review ads on this site.



Science News

First Salish Sea-wide shoreline armoring study shows effects on ecosystem

Date: April 19, 2016  
Source: University of Washington  
Summary: Impacts associated with shoreline armoring can scale up to have cumulative, large-scale effects on the characteristics of Salish Sea shorelines and the diversity of life they support, new research shows.

RELATED TOPICS

Plants & Animals

- > Fish
- > Fisheries

Earth & Climate

- > Ecology
- > Oceanography

Science & Society

- > Travel and Recreation
- > Ocean Policy

RELATED TERMS

- > Tsunami
- > Fujita scale
- > Richter magnitude scale
- > Biodiversity
- > Moment magnitude scale
- > Saffir-Simpson Hurricane Scale

See Also

Best Brain Supplements

Immune System Vitamins

Medication for Arthritis

Bipolar Disorder Symptoms

Best Brain Supplements

Immune System Vitamins

Medication for Arthritis

Bipolar Disorder Symptoms

Common Cancer Symptoms

Top 10 Brain Supplements

Best Vitamin D Supplement

Treatment for Alzheimer's



This is a seawall along Harbor Avenue Southwest in the West Seattle neighborhood in Seattle, Washington.

Credit: Hugh Shipman

Bulkheads and seawalls along the shores of Puget Sound help ease erosion and stabilize bluffs to protect waterfront properties.

But these walled structures also shrink beaches, reduce habitat for invertebrates and spawning fish and, indirectly, degrade conditions for iconic species like salmon and orcas. Many studies have shown this pattern at seawall sites around Puget Sound.

A new University of Washington study shows that impacts at individual armored sites can scale up to have cumulative, large-scale effects on the characteristics of Salish Sea shorelines and the diversity of life they support. It is the first study to analyze sites broadly within Puget Sound and offers the most comprehensive look to date at the impacts of shoreline armoring on the Salish Sea ecosystem.

"Given the incredible variety and complexity of shorelines in the Salish Sea, to pick out patterns we had to go very broad and step back and squint, if you will," said lead author Megan Dethier, a research professor of biology at the UW's Friday Harbor Laboratories.

"The huge challenge was searching for patterns in the noise. The shorelines are impacted by hundreds of different things and we were trying to see patterns driven by just one thing -- armoring."

The paper appeared online this month in the journal *Estuarine, Coastal and Shelf Science*.

When researchers looked at sites from south, central and north Puget Sound, the data showed that armored beaches became slightly narrower and steeper over time, and larger pebbles replaced finer-grained sediment and sand. Additionally, in stretches of shoreline that were more heavily armored, even the unarmored areas showed similar impacts -- less sand and more larger sediment on the beach.

"Changes to the shape and texture of a beach are subtle, slow to happen and can take decades," Dethier said. "It took a big sample size and a range of beach types to see that geomorphic signal. To me, this is the big punch of the study."

Of Puget Sound's 2,500 miles of shoreline, more than one quarter are currently armored. Shorelines range from heavily armored, concrete-covered commercial ports to pristine, sandy beaches.

Erosion from bluffs and banks is a natural process and if left alone, most bluffs will erode and replenish the beaches with sand and gravel. Armoring stops or dramatically slows erosion, and gradual-sloped, wide, sandy beaches over time give way to pebbly, steeper shorelines that aren't desirable to beach-spawning fishes -- or humans.

"This new report by Megan and her team provides crucial information on shoreline armoring impacts that will be highly valuable in improving our management approaches to Puget Sound shorelines," said Randy Carman, who works with the nearshore habitat program at the Washington Department of Fish and Wildlife.

"While we have often relied on conceptual models and studies conducted in other locales, we now have concise empirical data on armoring impacts from a large geography of Puget Sound."

In addition to identifying cumulative effects, this paper also confirmed previous studies and observations that armoring impacts the ecology and structure of shoreline habitat in Puget Sound.

Specifically, armored beaches generally have fewer drift logs, algae, seagrass and other organic debris that naturally washes ashore than their unarmored counterparts. This vegetation provides a daily feast for crustaceans and insects, and indeed, fewer invertebrates were present at armored sites. Sandy beaches, which provide habitat for surf smelt and other forage fish to spawn, were replaced by coarser sediment in armored areas.

Ultimately, all of these changes in nearshore habitat probably alter the feeding and migration patterns of juvenile salmon in the Sound.

In designing the study, Dethier and her collaborators identified 65 pairs of sites around the Salish Sea. Each pair included one site with no shoreline armoring and another close by that had some degree of armoring such as bulkheads, seawalls or wood pilings. Additionally, each pair was within a distinct unit of shoreline, called a drift cell, and the percentage of armored shoreline in each drift cell varied.

They collected detailed data from each site, including the amount of natural debris (seagrass, algae), the number of logs deposited on shore; the presence of invertebrates such as insects and sand fleas; the size of beach sediment, ranging from sand to cobble; the amount of vegetation hanging over the shoreline; and the slope of each beach.

They found the effects of armoring were cumulative, because in shoreline drift cells that had a higher percentage of armoring, even unarmored sites showed impacts, including less sand and more larger sediment.

The data collection was exhaustive, Dethier said, and a single day in the field generated about three weeks of processing specimens in the labs -- all before data analysis even began.

Because the effects of armoring are cumulative, it follows that reducing the number of bulkheads and seawalls throughout Puget Sound would improve the overall health of the ecosystem. Replacing concrete walls with softer, greener materials like logs, or replenishing armored beaches manually with truckloads of sand and gravel are options to lessen the impacts.

Even moving a seawall higher up on the shoreline would allow space for forage fish to spawn and natural tides to bring valuable nutrients to shore.

Many scientists agree the best option is to avoid putting in any new bulkheads and seawalls, which is what Hugh Shipman, a coastal geologist with the state's Department of Ecology, advocates in his work with landowners. Current laws for new armoring are set by the Department of Ecology under the Shoreline Management Act, and local governments are in charge of regulating and approving projects, with additional permitting from Washington Department of Fish and Wildlife.

"We want to assure that more restrictive bulkhead policies are supported by the best science we can possibly have," Shipman said. "This is the most significant paper we've seen that looks at the impacts on Puget Sound."

Story Source:

The above post is reprinted from materials provided by **University of Washington**. The original item was written by Michelle Ma. *Note: Materials may be edited for content and length.*

Journal Reference:

- Megan N. Dethier, Wendel W. Raymond, Aundrea N. McBride, Jason D. Toft, Jeffery R. Cordell, Andrea S. Ogston, Sarah M. Heerhartz, Helen D. Berry. **Multiscale impacts of armoring on Salish Sea shorelines: Evidence for cumulative and threshold effects.** *Estuarine, Coastal and Shelf Science*, 2016; 175: 106 DOI: 10.1016/j.ecss.2016.03.033

Cite This Page:

MLA APA Chicago

University of Washington. "First Salish Sea-wide shoreline armoring study shows cumulative effects on ecosystem." ScienceDaily. ScienceDaily, 19 April 2016. <www.sciencedaily.com/releases/2016/04/160419145413.htm>.

Recommended Articles

Young chum salmon may get biggest nutrition boost from Elliott Bay restored beaches  
University of Washington, ScienceDaily, 2015

First-of-its-kind study reveals surprising ecological effects of earthquake and tsunami  
University of California - Santa Barbara, ScienceDaily, 2012

Coastal Bluffs Provide More Sand To California Beaches Than Previously Believed  
University of California - San Diego, ScienceDaily, 2005

Doubling of coastal erosion by mid-century in Hawaii  
University of Hawaii at Manoa, ScienceDaily, 2015

Sea-level rise drives shoreline retreat in Hawaii  
University of Hawaii - SOEST, ScienceDaily, 2013

The stochastic nature of larval connectivity among nearshore marine populations. [↗](#)  
D A Siegel et al., Proc Natl Acad Sci U S A, 2008

Unexpectedly high mortality in Pacific herring embryos exposed to the 2007 Cosco Busan oil spill in San Francisco Bay. [↗](#)  
John P Incardona et al., Proc Natl Acad Sci U S A, 2011

Discovery of a spawning ground reveals diverse migration strategies in Atlantic bluefin tuna (*Thunnus thynnus*). [↗](#)  
David E Richardson et al., Proc Natl Acad Sci U S A, 2016

Changing recruitment capacity in global fish stocks. [↗](#)  
Gregory L Britten et al., Proc Natl Acad Sci U S A, 2015

Barnacle reproductive hotspots linked to nearshore ocean conditions. [↗](#)  
Heather M Leslie et al., Proc Natl Acad Sci U S A, 2005

Thanks for the feedback! [Undo](#)  
We'll use your feedback to review ads on this site.



Related Stories

Known Fish Species Living in the Salish Sea Increases in New Report

Sep. 30, 2015 — A new report documents all of the fishes that live in the Salish Sea. In total, 253 fish species have been recorded, and that's about 14 percent more than in the last ... [read more »](#)



Doubling of Coastal Erosion by Mid-Century in Hawaii

Mar. 24, 2015 — Chronic erosion dominates the sandy beaches of Hawaii, causing beach loss as it damages homes, infrastructure, and critical habitat. Researchers have long understood that global sea level rise ... [read more »](#)



Sea-Level Rise Drives Shoreline Retreat in Hawaii

Aug. 30, 2013 — Researchers show that sea-level rise is a primary factor driving historical shoreline changes (that is, beach erosion or accretion) in Hawaii and that historical rates of shoreline change are about ... [read more »](#)

New Report Questions Hard-Edged 'Living Shorelines' in Estuaries

Mar. 5, 2012 — The increasing use of large breakwaters and other hard structures to reduce erosion in "living shorelines" along coastal estuaries may be no better for the environment than the ecologically ... [read more »](#)



Strange & Offbeat

PLANTS & ANIMALS



All Ants on Deck: Raft-Building Ants Exhibit Memory, Repeatedly Occupy Same Position When Forming Rafts



In These Microbes, Iron Works Like Oxygen



Fish-Eyed Lens Cuts Through the Dark



Worm Infection Counters Inflammatory Bowel Disease by Drastically Changing Gut Microbiome

EARTH & CLIMATE



Forest Discovery: Trees Trade Carbon Among Each Other



Fresh Look at Trope About Eskimo Words for Snow

Recyclable, Sugar-Derived Foam: A Renewable Alternative to Traditional Polyurethanes?



The Pyrophilic Primate

FOSSILS & RUINS



Striking Skull Portraits of King Richard III




Prehistoric Peepers Give Vital Clue in Solving 300-Million-Year-Old 'Tully Monster'



Origin of Life: An Artificial Comet Holds the Missing Piece



Modern Men Lack Y Chromosome Genes from Neanderthals



Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

- Email Newsletters
- RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

- Facebook
- Twitter
- Google+
- LinkedIn

Mobile Apps

Get the latest news from ScienceDaily via our free mobile apps, available for download on the following platforms:

- iPhone/iPad
- Android

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

- Leave Feedback
- Contact Us