
Volcanic Sakurajima Volcano is a Lightning Laboratory

by Dr. Jeffrey Johnson, Associate Professor of Geophysics Department of Geosciences Boise State University | April 22, 2016, 10:54am ET

6 Share 17 Tweet 212 Pocket 0 Reddit More



Science Newsletter: Subscribe
Enter email here
SUBMIT
Follow Us
Most Popular
1 Mouse Cat Nap! Rodent Sleeps Like Humans
2 Movie Clues 'Game of Thrones' Hike Ate It Real Life 'Dragons'
3 William Shatner: 'Star Trek' Cast Is Not That Far-Fetched
4 Did Prince Die from the Flu? How the Virus Kills
5 Why Do Cats Stretch So Much?

Jeffrey Johnson, associate professor of geosciences at Boise State University, contributed this article to Live Science's Expert Voices: Op-Ed & Insights.

Japan is a country of volcanoes, and Sakurajima is one of its most infamous. Its recurring storm from its post-behavior in 1914, when powerful explosions and pyroclastic flows forced the evacuation of the residents of Kagoshima. Since then, the eruptions stopped, extensive lava eruptions began. The amount of lava that erupted was enough to form Sakurajima Island, connecting the volcano to the Japanese mainland. For much of the time, the volcano was relatively quiet.

But Sakurajima has been exploding intermittently since 1955. And although it no longer is an island, it is still very hazardous to nearby residents, and its 7,000 residents are exposed to volcanic hazards including ash fall, lahars, and the potential for lava bombs.[Today, schoolchildren commute wearing hard hats just in case rocks start to rain down from the sky. Because ashfall often grays the landscape, everyone wears masks to avoid breathing in the fine ash particles. Many of the buildings in open areas on the island are more vulnerable to the ashfall, no corner of the island remains completely unaffected, from any location is less than 4 miles from the exploding crater.


A student walks on Sakurajima Peninsula wearing a hard hat to protect from rocks that may be material ejected over the volcano.
Credit: Corrado Cimarelli
View full size image

Although explosions are a worrisome hazard for residents, they also present the phenomenon draws volcanic scientists to the region like moths to a flame: Sakurajima's reliability, frequent and powerful explosions provide researchers with an unparalleled laboratory for studying eruptions that are categorized as quasieternally "vulcanian."

Download For Movies
Get Showtimes & Access Movies Download Fast. Fanatic Today!


Photos taken several seconds apart, along with a composite of the observed signal of lightning, which appears in amplitude. Credit: Jeffrey Johnson
View full size image

On a typical day, a few vulcanian blasts can be expected to erupt out of the Showa Crater at the canon shots. Ten seconds later, a concussion sound wave — often exceeding 100 pascals in pressure, akin to the sound pressure levels on an aircraft carrier deck — reaches the observation post 4 kilometers away. Most of this sound energy is in the form of low frequency sound (it would be dwelling in the equivalent of 140 decibels. To put it another way, it would exert a force of approximately 100 lbs. on a 1-foot-sealed window.

The blasts are accompanied by the blistering heat of pyroclastic material, or hot volcanic gases, which are composed of gas and rock fragments. The refrigerator-size rocks. The materials erupting from the Showa Crater rim often exceed a velocity of 400 feet per second, and within moments, inertia carries the particles nearly 1,000 feet above the vent. A perceptive viewer might observe blinking sparks — lightning — in the growing column.

Observing volcanic lightning processes in real time would be like trying to track camera flash bulbs at a sporting event. This is why Corrado Cimarelli of the Department of Earth and Environmental Sciences at Ludwig Maximilian University of Munich has been developing ingenious techniques to observe Sakurajima's eruption lightning events.

Slowing down an eruption

Cimarelli and his co-authors recently published a study in Geophysical Research Letters entitled "Multiparametric observation of volcanic lightning: Sakurajima volcano, Japan." In this study, the researchers use high-speed video cameras at relatively low resolution described to perceive the eruptive processes that are invisible and/or too fast for a human observer to perceive. Their cameras were capable of recording 2 megapixel images sequences 30 times each second, the high-resolution, high-speed cameras that Cimarelli's cameras capture images 100 times more rapidly.


A high-speed image of volcanic lightning at Sakurajima Volcano.
Credit: Corrado CimarelliView full size image

During a single, high-speed image frame, exposed for 30 microseconds, the fastest ballistic particles travel barely more than an inch. This might appear unnecessarily fast for tracking pyroclastic trajectories, but it is an essential capability for gaining insight into the evolution of lightning, which "grows" at speeds of between 8 and 984 feet per second.

With the use of high-speed cameras, researchers have learned that lightning sparks propagate in a series of jerky advances known as stepped leaders, a process that is also seen in thunderheads. The stepped-leader response corresponds to the short-circuiting of charged regions that have been separated either within a cloud, or between the cloud and ground. Once the connection is complete, current flows and heats the atmosphere, creating the visible pulse that observers recognize as lightning. [What Causes Eerie Volcanic Lightning?]

The sparks that are detected during volcanic lightning episodes at Sakurajima are generally small, between 30 and 600 feet — 300 feet — one or two orders of magnitude shorter than the lightning that appears during electrical storms.

The high-speed camera made the distribution of sparks over time, but this information becomes much more valuable when it is complemented by multiinstrument (MI) monitoring, which also detects sparks occurring within the opaque, center portion of the eruption column.


High-speed image of volcanic lightning at Sakurajima Volcano.
Credit: Corrado Cimarelli
View full size image

MI observations sampling both electric- and magnetic-field variations from many miles away and at an incredible 65,000 times per second. Tiny magnetic-field fluctuations — about 1 part in 10,000 of Earth's ambient field — are well-recorded, and have revealed that Sakurajima's volcanic lightning carries up to 1,000 amperes of current. Because this current is the key to valuable time-evolution capabilities, the research team can also counts, determine the direction of current flow for each flash and assess whether the lightning within the ash cloud (intracloud) or reaches the ground (cloud-to-ground).

Together, high-speed imagery of volcanic lightning and MT studies have given us a peek at the internal workings of a fiery, turbulent column of volcanic ash and gas.

Laboratory lightning

Although scientists' understanding of thunderstorm lightning is mature, they are only beginning to understand the mechanisms at work in volcanic lightning. Based upon volcanic lightning "mapping" studies conducted in Alaska, volcanic lightning may be broadly grouped into categories that are described as "vent discharges," "near-vent lightning" or "plume lightning" depending upon where they are located within an eruption column.

The vent discharges at Sakurajima include sparks tens- to hundreds-of-meters long that occur near the mouth of the volcano. Here, small particles are small and are preferentially charged — that is, the larger particles becoming slightly more positive. And then, as particle sizes are sorted by air resistance within the ash cloud, they become physically separated. When the ash explodes upward, the smaller size particles tend to slow down more quickly. This is when charge separation may occur, either due to fractionating, as the pyroclastic material is violently ripped apart during eruptions or due to triboelectrification, which is charge transfer through rubbing. This second mechanism is akin to the familiar static electricity that builds up when you rub a balloon on your hair.

Lightning is the response to the charge-separation process. Disequilibrium is remedied when the atmosphere short circuits and produces a spark — the lightning bolt. The current that is produced induces magnetic-field declinations that last for a millisecond, and occur each naturalistica electrical miles away. The events are remotely recorded using MT methods.

Volcano lightning collected in laboratory experiments at Ludwig Maximilian University of Munich. The sparks in the chamber are bright.
Credit: Corrado CimarelliView full size image

Cimarelli believes that tribocharging plays an important role in the charge-separation process, because one of his earlier experiments involved the production of volcanic lightning in the lab. The results were featured in a 2014 Geology paper, where he and colleagues ejected fine volcanic ash into a rarefied pressurized nozzle — a laboratory volcano vent — and generated lightning like sparks a few inches in length. These sparks were observed to have positive fragmentation and without the presence of ice — or ground — which is the conventional charge separation vehicle for lightning in a cloud of pure thunderstorm. [Electrifying Images of Volcanic Lightning]

Why we care about volcanic sparks

A wealth of volcanic research has shown that eruption columns become statically charged due to ash separating in a volcano. This is important, because near-vent volcanic lightning — including its intensity, frequency and character — is directly related to how much fine material is erupted. These discoveries are exciting, and suggest that soon we might be able to use lightning detection as a measure of how much ash is stored during eruptions.

Other methods to calculate ash emission rates don't work very well. Satellite- and ground-based multispectral measurements can detect ash plumes, but don't do a very good job when it comes to estimating how much ash is in the plume, or predicting the rate at which the ash is ejected. Cloud cover and darkness hinder both satellite- and ground-based visual observations of plumes, and deriving ash quantity is limited by the sensitivity of ash plume density.

Lightning detection, on the other hand, offers a means to potentially quantify ash discharges during inclement weather and at nighttime. Detectors can be located at safe distances, tens of miles from the vent, and the cloud does not impede the ability of MT sensors to "see" lightning.

SPEAK UP!
Have a science question?
EXPERT Ask an Expert
If you're a natural-born inventor — researcher, business owner, student, innovator — and would like to contribute as an Expert Voice, please
https://earth.livescience.edu/people/jeffrey-johnson/.

Such detections are critical, as volcanic ash clouds are one of the principal hazards posed by eruptions. Even dilute amounts of ash that are ingested by a jet turbine can incapacitate the engines, costing the airline millions. This potential hazard was brought to the attention of the world during the 2010 eruption of Eyjafjallajökull Volcano eruption, which spewed ash across the air corridors of Europe. The eruption grounded more than 100,000 flights over the course of a week, affecting 10,000,000 travelers, and causing billions of dollars in losses.

Given the economic impact of ashy eruptions, the next generation of volcanic lightning research will undoubtedly focus on ash identification and will likely use lightning ash-detection as a primary instrument. Sakurajima, a laboratory volcano in Southern Japan, is facilitating the development of this tool.

Follow all of the Expert Voices issues and debates — and become part of the discussion — on Facebook, Twitter and Google+. The views expressed are those of the author and do not necessarily reflect the views of the publisher. This version of the article was originally published on Live Science.


Editor's Recommendations

- Big Blasts: History's 10 Most Destructive Volcanoes
- Electrifying Photo Takes Internet by Storm: Why Rainbow Lightning Is So Rare
- Images: Grimsvotn Volcano Puts on Lightning Show


Proof Jesus Is God?
See Why People Believe Jesus Is God And What Jesus Actually Said.

PENN STATE | ONLINE
Online degrees in Energy and Sustainability
LEARN MORE

More from LiveScience


Why Does Ice Make Taste Weird?


Does Marijuana Harm You Stupid?


Oil Spill Facts: Cleaning Harmful Mercury's Vocal Process


Professional Cane-off: Bridging Disadvantages

Author Bio



Dr. Jeffrey Johnson

Jeffrey Johnson's primary research interests include multi-disciplinary geophysical study of eruptive processes, infrasound science and sensor development, and volcano seismology. He is an associate professor of geophysics in the Department of Geosciences at Boise State University. He enjoys field work and conducts field studies at volcanoes worldwide. More about Jeffrey Johnson: https://earth.livescience.edu/people/jeffrey-johnson/.

Dr. Jeffrey Johnson on

0 Comments
Sort by Newest
Add a comment...
Facebook Comments Plugin

SPACE | livescience | LAPTOP | NEWSMAX | BUSINESSTECH

Hunt Continues for Gravitational Waves from Black Hole Megamergers

Drug Overdose Deaths Increased 7% Fold in These US Counties

Chromebooks May Soon Get "Over a Million" Android Apps

BLACK MASK Reveals 2016 Slate

Do Your Employees Secretly Dislike You? What to Do About It

New Horizons Probes Pluto, Pirate's Team Proposes Extension

Workout's Pleasure Not an Unusual Cause

Panasonic New Rugged Toughpads are Master Gunners

10 MORE AVENGERS We Want to See Assemble On The Big Screen

5 Signs You Need New Tech (and How to Pick the Right Ones)

Why Scientists Unhealthy Eating Behaviors Might Not Be That Bad

Microsoft's Edge Map Track Your Private Browsing

BIGMIND WORLD CEO/President Resigns

Dropbox Teams with Microsoft to Help You Be More Productive

British Astronaut Tim Peake Sets Off World Record Running Marathon in Space

COMPANY
Company Info
About Our Site
Contact Us
Advertise with Us
Using our Content
Licensing & Reprints
Copyright Policy
Terms of Use and Sale
Privacy Policy
Sitemap

NETWORK
TopTenREVIEWS
Tom's Guide
LAPTOP
Tom's Hardware
SPACE.com
BusinessNewsDaily
Tom's IT Pro
LiveScience

FOLLOW US

SUBSCRIBE
Enter email here
SUBMIT

Purch
Copyright © 2016 All Rights Reserved