

Ads



## JYC Shafts Supplier

We provide various shafts. Find shafts you need here!

[www.jyc.com.tw](http://www.jyc.com.tw)



## Ocean Surface Currents

Also Used With Real-Time Processing Possibility to Post-Process Data.

[seadarq.com/Ocean\\_Surface\\_Currents](http://seadarq.com/Ocean_Surface_Currents)

<https://www.sciencedaily.com/releases/2016/06/160627094834.htm>

**SD** Health ▾ Physical/Tech ▾ Environment ▾ Society/Education ▾ Quirky ▾

A- A A+

Search



## Science News

from research organizations

Print Email Share

# Super-slow circulation allowed world's oceans to store huge amounts of carbon during last ice age

Date: June 27, 2016

Source: University of Cambridge

**Summary:** The way the ocean transported heat, nutrients and carbon dioxide at the peak of the last ice age, about 20,000 years ago, is significantly different than what has previously been suggested, according to two new studies. The findings suggest that the colder ocean circulated at a very slow rate, which enabled it to store much more carbon for much longer than the modern ocean.

Share:



### RELATED TOPICS

#### Earth & Climate

- > Global Warming
- > Oceanography
- > Geography
- > Climate
- > Earth Science
- > Ice Ages

### RELATED TERMS

- > Carbon cycle
- > Ocean acidification
- > Ice age
- > Ice shelf
- > Ocean
- > Ocean current

### FULL STORY



The world's oceans work like a giant conveyor belt, transporting heat, nutrients and gases around the globe. In today's oceans, warmer waters travel northwards along currents such as the Gulf Stream from the equatorial regions towards the pole, becoming saltier, colder and denser as they go, causing them to sink to the bottom. These deep waters flow into the ocean basins, eventually ending up in the Southern Ocean or the North Pacific Ocean. A complete loop can take as long as 1000 years.

Credit: © manuelbrea / Fotolia

The way the ocean transported heat, nutrients and carbon dioxide at the peak of the last ice age, about 20,000 years ago, is significantly different than what has previously been suggested, according to two new studies. The findings suggest that the colder ocean circulated at a very slow rate, which enabled it to store much more carbon for much longer than the modern ocean.

Using the information contained within the shells of tiny animals known as foraminifera, the researchers, led by the University of Cambridge, looked at the characteristics of the seawater in the Atlantic Ocean during the last ice age, including its ability to store carbon. Since atmospheric CO<sub>2</sub> levels during the period were about a third lower than those of the pre-industrial atmosphere, the researchers were attempting to find if the extra carbon not present in the atmosphere was stored in the deep ocean instead.

They found that the deep ocean circulated at a much slower rate at the peak of the last ice age than had previously been suggested, which is one of the reasons why it was able to store much more carbon for much longer periods. That carbon was accumulated as organisms from the surface ocean died and sank into the deep ocean where their bodies dissolved, releasing carbon that was in effect 'trapped' there for thousands of years. Their results are reported in two separate papers in *Nature Communications*.

The ability to reconstruct past climate change is an important part of understanding why the climate of today behaves the way it does. It also helps to predict how the planet might respond to changes made by humans, such

Ads



## Ocean Surface Currents

Shows Currents During Tidal Cycle. Detailed & Easily Understandable.

[seadarq.com/Ocean\\_Surface\\_Currents](http://seadarq.com/Ocean_Surface_Currents)



## mSpy™ Best Phone Tracker

Track SMS, Chats, Calls, Location. Supports All Phones & Tablets. Try!

[mspy.com/ultimate-monitoring-tool](http://mspy.com/ultimate-monitoring-tool)

## Related Stories



### Climate Change Likely to Increase Black Carbon Input to the Arctic Ocean

Nov. 30, 2015 — The levels of black carbon in Arctic rivers has been determined by researchers who found that the input of black carbon to the Arctic Ocean is likely to increase with global ... [read more »](#)



### How Ocean Circulation Changed Atmospheric CO<sub>2</sub>

Sep. 28, 2015 — Changes to overturning circulation in the Southern Ocean as a result of temperatures over Antarctica play key role in carbon uptake by the ... [read more »](#)



### Climate Change Caused by Ocean, Not Just Atmosphere

Oct. 25, 2014 — Most of the concerns about climate change have focused on the amount of greenhouse gases that have been released into the atmosphere. A new study reveals another equally important factor in ... [read more »](#)



### Solving the Puzzle of Ice Age Climates: Southern Ocean and Explanation for 'Last Glacial Maximum'

June 2, 2014 — The paleoclimate record for the last ice age -- a time 21,000 years ago called the "Last Glacial Maximum" (LGM) -- tells of a cold Earth whose northern continents were covered by vast ice ... [read more »](#)



Use your Sampath Bank American Express® Credit Card and Enjoy

**AMAZING DISCOUNTS WORLDWIDE!**

agoda



CLICK FOR MORE INFO



CHINA SINOTRUK



as the continuing emission of large quantities of CO<sub>2</sub> into the atmosphere.

The world's oceans work like a giant conveyor belt, transporting heat, nutrients and gases around the globe. In today's oceans, warmer waters travel northwards along currents such as the Gulf Stream from the equatorial regions towards the pole, becoming saltier, colder and denser as they go, causing them to sink to the bottom. These deep waters flow into the ocean basins, eventually ending up in the Southern Ocean or the North Pacific Ocean. A complete loop can take as long as 1000 years.

"During the period we're looking at, large amounts of carbon were likely transported from the surface ocean to the deep ocean by organisms as they died, sunk and dissolved," said Emma Freeman, the lead author of one of the papers. "This process released the carbon the organisms contained into the deep ocean waters, where it was trapped for thousands of years, due to the very slow circulation."

Freeman and her co-authors used radiocarbon dating, a technique that is more commonly used by archaeologists, in order to determine how old the water was in different parts of the ocean. Using the radiocarbon information from tiny shells of foraminifera, they found that carbon was stored in the slowly-circulating deep ocean.

In a separate study led by Jake Howe, also from Cambridge's Department of Earth Sciences, researchers studied the neodymium isotopes contained in the foraminifera shells, a method which works like a dye tracer, and came to a similar conclusion about the amount of carbon the ocean was able to store.

"We found that during the peak of the last ice age, the deep Atlantic Ocean was filled not just with southern-sourced waters as previously thought, but with northern-sourced waters as well," said Howe.

What was previously interpreted to be a layer of southern-sourced water in the deep Atlantic during the last ice age was in fact shown to be a mixture of slowly circulating northern- and southern-sourced waters with a large amount of carbon stored in it.

"Our research looks at a time when the world was much colder than it is now, but it's still important for understanding the effects of changing ocean circulation," said Freeman. "We need to understand the dynamics of the ocean in order to know how it can be affected by a changing climate."

The research was funded in part by the Natural Environment Research Council (NERC), the Royal Society and the Isaac Newton Trust.

#### Story Source:

The above post is reprinted from materials provided by [University of Cambridge](#). Note: Materials may be edited for content and length.

#### Journal References:

1. Jacob N. W. Howe, Alexander M. Piotrowski, Taryn L. Noble, Stefan Mulitza, Cristiano M. Chiessi, Germain Bayon. **North Atlantic Deep Water Production during the Last Glacial Maximum**. *Nature Communications*, 2016; 7: 11765 DOI: 10.1038/ncomms11765
2. E. Freeman, L. C. Skinner, C. Waelbroeck, D. Hodell. **Radiocarbon evidence for enhanced respired carbon storage in the Atlantic at the Last Glacial Maximum**. *Nature Communications*, 2016; 7: 11998 DOI: 10.1038/ncomms11998

#### Cite This Page:

MLA

APA

Chicago

University of Cambridge. "Super-slow circulation allowed world's oceans to store huge amounts of carbon during last ice age." ScienceDaily. ScienceDaily, 27 June 2016. <[www.sciencedaily.com/releases/2016/06/160627094834.htm](http://www.sciencedaily.com/releases/2016/06/160627094834.htm)>.

#### Share This Page:



## Strange & Offbeat

### PLANTS & ANIMALS



**The Martian Becomes Reality: At Least Four Crops Grown on Simulated Mars Soil Are Edible**



**Insects Were Already Using Camouflage 100 Million Years Ago**



**Small Brain, Astounding Performance: How Elephantnose Fish Switch Between Electrical, Visual Sense**



**Evolutionary Biologists Show That Sexual Selection Increases the Number of Species and Impacts Global Diversity**

### EARTH & CLIMATE



**Opal Discovered in Antarctic Meteorite**



**Whistling Wormholes Discovered in the Caribbean**



**Giant Blobs of Rock, Deep Inside the Earth, Hold Important Clues About Our Planet**



**The World's Oldest Farmers Were Insects**

### FOSSILS & RUINS



**Ancient 'Deep Skull' from Borneo Full of Surprises**



**Massive Vertebrae Sheds New Light on Alamosaurus Sanjuanensis**



**One Snake's Prey Is Another's Poison: Scientists Pinpoint Genetics of Extreme Resistance**



**Sea Snakes Have Extra Sense for Water Living**

See fewer ads and support this site.

Contributor works on millions of sites and all of your devices.

Contributor by Google

Powered by Google



mSpy™ Best Phone Tracker

Ad mspy.com



**Why an ice age occurs every 100,000 years: Clim...**

sciencedaily.com



**Tyre pyrolysis plant sale**

Ad pyrolysis-oil.com



**Modern ocean acidification is outpacing ancient...**

sciencedaily.com

NEXT >

## Recommended Articles

Scientists detect huge carbon 'burp' that helped end last ice age

University of Cambridge, ScienceDaily, 2010

Carbon release from ocean helped end the Ice Age  
Universitat Autònoma de Barcelona, ScienceDaily, 2015

New Ice Age knowledge

Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, ScienceDaily, 2016

Heat release from stagnant deep sea helped end last Ice Age

University College London, ScienceDaily, 2015

Massive Carbon Dioxide Burps Came From Ocean At End Of Last Ice Age

University of Colorado at Boulder, ScienceDaily, 2007

Radiocarbon evidence for alternating northern and southern sources of ventilation of the deep Atlantic carbon pool during the last deglaciation. [↗](#)

Luke C Skinner et al., Proc Natl Acad Sci U S A, 2014

Antarctic sea ice control on ocean circulation in present and glacial climates. [↗](#)

Raffaele Ferrari et al., Proc Natl Acad Sci U S A, 2014

Characteristics of the deep ocean carbon system during the past 150,000 years: SigmaCO2 distributions, deep water flow patterns, and abrupt climate change. [↗](#)

E A Boyle, Proc Natl Acad Sci U S A, 1997

The past climate change heats up. [↗](#)

S M Stanley, Proc Natl Acad Sci U S A, 2000

Was a change in thermohaline circulation responsible for the Little Ice Age? [↗](#)

W S Broecker, Proc Natl Acad Sci U S A, 2000

Powered by **Trend MD**

## Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

-  [Email Newsletters](#)
-  [RSS Feeds](#)

## Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

-  [Facebook](#)
-  [Twitter](#)
-  [Google+](#)
-  [LinkedIn](#)

## Mobile Apps

Get the latest news from ScienceDaily via our free mobile apps, available for download on the following platforms:

-  [iPhone/iPad](#)
-  [Android](#)

## Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

-  [Leave Feedback](#)
-  [Contact Us](#)

[About This Site](#) | [Editorial Staff](#) | [Awards & Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Terms of Use](#)

Copyright 2016 ScienceDaily or by third parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.