

Not interested in this

Inappropriate content

Seen this multiple times

Ad blocked view

https://www.sciencedaily.com/releases/2016/03/160321123553.htm

Risk of multiple tipping points should be triggering urgent action on climate change

To avoid multiple climate tipping points, policy makers need to act now to stop global CO2 emissions by 2050 and meet the Paris Agreement's goal of limiting global warming to 1.5 °C above pre-industrial levels, a new study has said

Date: March 21, 2016

Source: University of Exeter

Summary: Pioneering new research shows that existing studies have massively under-valued the risk that ongoing carbon dioxide emissions pose of triggering damaging tipping points.

Share:

See fewer ads and support this site.

Contributor works on millions of sites and all of your devices.

Contributor by Google

Related Stories

- Policy Makers Should Not Discount the Damages from Future Climate Tipping Points
Mar. 23, 2015 — Society should set a high carbon tax now to try and prevent climate change reaching a point of no return according to a new study. The study shows that the prospect of an uncertain future tipping ... [read more »](#)
- Global Tipping Point Not Backed by Science, Experts Argue
Feb. 28, 2013 — A group of international ecological scientists have rejected a doomsday-like scenario of sudden, irreversible change to the Earth's ecology. In a new paper, the scientists from Australia, the ... [read more »](#)
- Arctic Is Already Suffering the Effects of a Dangerous Climate Change
Jan. 30, 2012 — Two decades after the United Nations established the Framework Convention on Climate Change in order to "prevent dangerous anthropogenic interference with the climate system", the Arctic ... [read more »](#)
- Climate Change Disasters Can Be Predicted, Study Suggests
June 19, 2011 — Climate change disasters, such as the melting of the Greenland ice sheet, dieback of the Amazon rainforest or collapse of the Atlantic overturning circulation, can be predicted according to new ... [read more »](#)

FULL STORY



Detailed view of Earth from space.
Credit: Elements of this image furnished by NASA; © timothyh / Fotolia

To avoid multiple climate tipping points, policy makers need to act now to stop global CO₂ emissions by 2050 and meet the Paris Agreement's goal of limiting global warming to 1.5 °C above pre-industrial levels, a new study has said.

Pioneering new research, carried out by the Universities of Exeter, Zurich, Stanford and Chicago, shows that existing studies have massively under-valued the risk that ongoing carbon dioxide emissions pose of triggering damaging tipping points.

The collaborative study suggests that multiple interacting climate tipping points could be triggered this century if climate change isn't tackled -- leading to irreversible economic damages worldwide.

Using a state-of-the-art model, the researchers studied the effects of five interacting tipping points on the global economy -- including a collapse of the Atlantic overturning circulation, a shift to a more persistent El Nino regime, and a dieback of the Amazon rainforest.

The study showed that the possibility of triggering these future tipping points increased the present 'social cost of carbon' in the model by nearly eightfold - - from US\$15 per tonne of carbon dioxide emitted, to US\$116/tCO₂.

Furthermore, the model suggests that passing some tipping points increases the likelihood of other tipping points occurring to such an extent that the social cost of carbon would further increase abruptly.

The recommended policy therefore involves an immediate, massive effort to reduce CO₂ emissions, stopping them completely by the middle of the century, in order to stabilize climate change at less than 1.5 °C above pre-industrial levels.

Professor Tim Lenton, from the University of Exeter and one of the authors of the study said: "Irreversible tipping points are one of the biggest risks we face if we carry on changing the climate. Our work shows that taking that risk seriously radically changes policy recommendations. We need to act urgently and globally to meet the most ambitious targets agreed in Paris last December and reduce the risk of future tipping points."

Story Source:

The above post is reprinted from materials provided by **University of Exeter**.
Note: Materials may be edited for content and length.

Journal Reference:

- Yongyang Cai, Timothy M. Lenton, Thomas S. Lontzek. **Risk of multiple interacting tipping points should encourage rapid CO2 emission reduction.** *Nature Climate Change*, 2016; DOI: 10.1038/nclimate2964

Cite This Page:

MLA APA Chicago

University of Exeter. "Risk of multiple tipping points should be triggering urgent action on climate change: To avoid multiple climate tipping points, policy makers need to act now to stop global CO2 emissions by 2050 and meet the Paris Agreement's goal of limiting global warming to 1.5 °C above pre-industrial levels, a new study has said." ScienceDaily. ScienceDaily, 21 March 2016. <www.sciencedaily.com/releases/2016/03/160321123553.htm>.

Share This Page:

Not interested in this

Inappropriate content

Seen this multiple times

Ad blocked view

Strange & Offbeat

- PLANTS & ANIMALS
- Single Bacteria Grows 60 Percent Better on the International Space Station Than on Earth
- More Ancient Viruses Lurk in Our DNA Than We Thought
- City Birds Are Smarter Than Country Birds
- Could Bread Mold Build a Better Rechargeable Battery?
- EARTH & CLIMATE
- Could Ireland's Ecosystems Cope If We Introduced St. Patrick's Scaly Foes?

First Successful Extraction of Ancient DNA from a Southern African Mummy