

Thanks for the feedback! [Undo](#)
We'll use your feedback to review ads on this site.

https://www.sciencedaily.com/releases/2016/03/160325151722.htm



Science News

from research organizations

Print

Email

Share

Biologists discover sophisticated 'alarm' signals in honey bees
'Stop signals' found to encode predator danger, attack context

Date: March 25, 2016
Source: University of California - San Diego

Summary: Bees can use sophisticated signals to warn their nestmates about the level of danger from predators attacking foragers or the nest, according to a new study. Biologists found that an Asian species of honey bee can produce different types of vibrational 'stop signals' when attacked by giant Asian hornets.

Share:



Thanks for the feedback! [Undo](#)
We'll use your feedback to review ads on this site.

FULL STORY



A giant Asian hornet attacks an Asian honey bee forager in China.

Credit: Photo by James Nieh/UC San Diego

Bees can use sophisticated signals to warn their nestmates about the level of danger from predators attacking foragers or the nest, according to a new study.

Biologists at UC San Diego and in China found that an Asian species of honey bee can produce different types of vibrational "stop signals" when attacked by giant Asian hornets.

These signals have different effects depending upon type of danger and the context. A bee delivers a stop signal by giving another bee a brief, vibrational pulse, usually through a head-butt.

"Surprisingly, this signal encodes the level of danger in its vibrational frequency, its pitch, and the danger context through the duration of each pulse," said James Nieh, a professor of biology at UC San Diego who headed the research team., which was also led by Ken Tan, a professor at Xishuangbanna Tropical Botanical Garden, Chinese Academy of Science.

The scientists report their discovery, which they say is the most sophisticated form of alarm signaling found in a social insect, in a paper published this week in the open-access journal *PLOS Biology*.

Six years ago, Nieh discovered that foragers of the European honey bee, *Apis mellifera*, when attacked at a food source, will return to the nest and deliver stop signals to nestmates recruiting for the dangerous food source. These signals were known to inhibit recruitment, the famous waggle dance of the honey bee, but researchers did not know what triggered stop signals.

"Stop signals are usually delivered by a sender butting her head into a recipient. Understanding that these signals can be triggered by danger and reduce recruitment for dangerous food therefore made sense," explained Nieh.

Nieh next wanted to find out if other honey bee species also used stop signals. He and his collaborators at the Chinese Academy of Science and Eastern Bee Research Institute in Yunnan Province conducted their experiments at Yunnan Agricultural University using the Asian honey bee, *Apis cerana*, which occurs throughout southern and eastern Asia, from India to China and Japan.

The scientists said this honey bee species is an excellent model for studying the effects of predator threats because *A. cerana* is attacked by multiple species of giant hornets, which pose a threat according to hornet body size. They studied the world's largest hornet, the "yak-killer" *Vespa mandarinia* and a smaller, but still formidable hornet, *Vespa velutina*. Both hornet species are natural enemies of *A. cerana*.

These hornets attack foraging bees and bee nests, and the scientists therefore set up their experiments to see if bees would produce stop signals in both situations.

"We hypothesized that bigger predators would pose a bigger threat and would change stop signaling, perhaps by producing more signals when attacked by a large predator," Nieh said. "However, we were very surprised to find that these Asian bees not only produced more stop signals, they also produced different kinds of stop signals."

Attacked foragers reduced their waggle dancing and produced stop signals that increased in pitch according to predator size. The larger and more dangerous predator triggered higher pitched stop signals that were more effective at stopping waggle dancing than the lower pitched stop signals triggered by the smaller and less dangerous predator.

In addition, guard bees and returning foragers attacked at the nest entrance produced longer duration stop signals to warn nestmates about the imminent danger outside.

"Our experiments showed that these different types of stop signals elicited different and appropriate responses. Bees attacked at food sources by bigger hornets produced a kind of stop signal that more effectively inhibited recruitment," said Nieh. "Bees attacked at the nest entrance produced another kind of stop signal that inhibited foragers from exiting the nest and being exposed to the danger outside."

According to Nieh, "this is the first demonstration of such sophisticated inhibitory signaling or alarm signaling in an insect." Previously, such referential alarm signals had only been reported in vertebrates like birds and primates.

Story Source:

The above post is reprinted from materials provided by **University of California - San Diego**. The original item was written by Kim McDonald. *Note: Materials may be edited for content and length.*

Journal Reference:

- Ken Tan, Shihao Dong, Xinyu Li, Xiwen Liu, Chao Wang, Jianjun Li, James C. Nieh. **Honey Bee Inhibitory Signaling Is Tuned to Threat Severity and Can Act as a Colony Alarm Signal.** *PLOS Biology*, 2016; 14 (3): e1002423 DOI: 10.1371/journal.pbio.1002423

Thanks for the feedback! [Undo](#)

We'll use your feedback to review ads on this site.



Related Stories

Age Matters: Young Larvae Boost Pollen Foraging in Honey Bees

Nov. 18, 2014 — Adult bees foraging for food use the changing pheromone signals of the young to adjust what nutritional resources they collect. Honey bees return to the hive with one and one half times more ...
[read more »](#)

Fear of Predators Drives Honey Bees Away from Good Food Sources

Oct. 2, 2013 — Honey bees live in a world filled with danger in which predators seize them from the sky and wait to ambush them on flowers. Such fear drives bees to avoid food sources closely associated with ...
[read more »](#)

Social Bees Mark Dangerous Flowers With Chemical Signals

Mar. 14, 2013 — Scientists already knew that some social bee species warn their conspecifics when detecting the presence of a predator near their hive, which in turn causes an attack response to the possible ...
[read more »](#)

Scientists Train Honey Bees to Stick out Their Tongues

Dec. 12, 2012 — A new video-article illustrates a novel tactile conditioning experiment using honey bees. The technique trains honey bees to stick out their tongues when their antennae touch an object. This ...
[read more »](#)

Strange & Offbeat

PLANTS & ANIMALS

A World Map of Neanderthal and Denisovan Ancestry in Modern Humans

Creation of Minimal Cell With Just the Genes Needed for Independent Life

Moving Microswimmers Using Magnetic Vortices

Modified Maggots Could Help Human Wound Healing

EARTH & CLIMATE

City Birds Are Smarter Than Country Birds

Could Ireland's Ecosystems Cope If We Introduced St. Patrick's Scaly Foes?

First Successful Extraction of Ancient DNA from a Southern African Mummy

Unique Beak Evolved With Tool Use in New Caledonian Crow

FOSSILS & RUINS

Human Ancestors Explored 'out of Africa' Despite Impaired Nasal Faculties

More Ancient Viruses Lurk in Our DNA Than We Thought

The Linguistics of Signifying Time: The Human Gesture as Clock

Solving the Mystery of the Tully Monster

In Other News

from NewsDaily